

What is ESCO airstream® Class II Biological Safety Cabinet?

Its large performance envelope is an open declaration of possible safe operating airflow values. Certified to EN 12469, Esco Airstream® Class II Biological Safety Cabinet also has antimicrobial coating on all its external and internal painted surfaces for improved safety.

Is ESCO responsible for errors in catalogues & brochures?

010259_Biological Safety Cabinet_AC2-TUV_Brochure_vG_A4_110422Esco can accept no responsibility for possible errors in catalogues, brochures and other printed materials. Esco reserves the right to alter its products and specifications without notice. All trademarks and logotypes in this

Is ESCO responsible for errors in printed materials?

Esco can accept no responsibility for possible errors in catalogues, brochures and other printed materials. Esco reserves the right to alter its products and specifications without notice. All trademarks and logotypes in this material are the property of Esco and the respective companies.

Mô t? AC2-4E8-TU ESCO T? an toàn sinh h?c c?p II. Gi?i thi?u chung v? t? an toàn sinh h?c c?p II AC2-4E8-TU: T? an toàn sinh h?c AC2-4E8-TU ESCO thi?t k? nh? g?n, ?? ?n th?p và ti?t ki?m n?ng l?ng nh?t th? gi?i. ???c t? ch?c ...

Esco AC2 Airflow: OK I: 0.45 m/s Socket: ON 15:34 Sash: OK D: 0.30 m/s Hi?n th? t?t c? thông tin trên m?t màn hình duy nh?t ???c ??t ? gi?a và ch?ch xu?ng d??i ?? d? dàng thao tác ... Vách kính: 230 V, 50/60 Hz AC2-2E8 AC2-3E8 AC2-4E8 AC2-5E8 AC2-6E8

AC2-4E8-NS G4 8" Airstream® NS G4 Class II Type A2 Biological Safety Cabinet, 4ft/1.2m, 8-inch opening: 2011600: AC2-4E8-NS G4 10" Airstream® NS G4 Class II Type A2 Biological Safety Cabinet, 4ft/1.2m, 10-inch opening: 2011424: AC2-5E8-NS G4 8" Airstream® NS G4 Class II Type A2 Biological Safety Cabinet, 5ft/1.5m, 8-inch opening: 2011601

Stock Code: AC2-4E8 Class II cabinet Esco Airstream E-Series working width 1220mm, manual sliding sash, 1 fan, 0.16kW maximum power draw, 61.1dB noise level, no VHP ports, recirculating, no angled HEPA filter, with 2 years warranty

The World& #39;s Leading Energy-Efficient, Quiet, and Compact Biosafety Cabinet.T& Uuml;V NORD Certified to EN 12469Equipped with the latest technology and upgrades from the Airstream& reg; Gen 3, the Airstream& reg; ...

Poste de sécurité microbiologique AIRSTREAM ESCO - Economique Silencieux Compact EN 12469 Sécurité - Filtres HEPA ... 120 cm AC2-4E8: 1340 x 810 x 1400: 1220 x 580 x 660: 230 :

x: 1 à droite + 1 à gauche : 7376,31: Disponible: H033719: Modèle : 150 cm AC2-5E8

Airstream® Class II Biological Safety Cabinet (E-Series) Airstream® Class II Biological Safety Cabinet (S-Series) Airstream® Class II Biological Safety Cabinets (G-Series) Airstream® Class III Biosafety Cabinet Labculture® Class II Type B2 (Total Exhaust) Biosafety Cabinet Streamline® Class II Biological Safety Cabinets Airstream® T? an toàn sinh h?c c?p 2 lo?i A2 Airstream ...

T? an toàn sinh h?c ESCO AC2-4E8, ???c ch?ng nh?n b?i TÜV NORD - ??c theo tiêu chu?n EN 12469, làl?a ch?n hoàn h?o cho phòng thíng nghi?m công ngh? sinh h?c và nuôi c?y t? bào.V?i hi?u su?t cao, ti?t ki?m n?ng l??ng và ...

The Esco Airstream ® Plus Class II BSC - E series (AC2- E-TU) has tempered glass sidewalls that increases visibility and prevents the operator from experiencing a "boxed-in" feeling. This unit is also equipped with multi-piece, autoclavable work tray for easy cleaning process. ... AC2-4E8-TU: Airstream ...

Esco AC2 Airflow: OK I: 0.48 m/s Socket: ON 15:34 Sash: OK D: 0.35 m/s Bouton Diagnostics, pour vérifier facilement les paramètres de fonctionnement de ... AC2-4E8-TU 2011005 AC2-5E8-TU 2010981 AC2-6E8-TU 2011007 Côté en Acier Inoxydable: 220-240 VAC, 50/60 Hz AC2-3S8-TU 2011037 AC2-4S8-TU 2010749 AC2-5S8-TU 2010980 AC2-6S8-TU

ESCO Airstream® Class II Biological Safety Cabinet, Sterile and Cleanroom Workbench provides the highest level of user and product protection. ... ESCO AC2 Airstream® Class II Biological Safety & Sterile Workbench. ... AC2-4E8: 1340 x 753 x 1400: 1220 x 580 x 660: 0.45/0.30 m/s: 2010656: AC2-5E8: 1645 x 753 x 1400: 1525 x 580 x 660: 0.45/0.30 ...

Model: AC2-4E8. Hãng s?n xu?t: Esco - Singapore. Xu?t x?: Indonesia. Cung c?p bao g?m: + 01 thân t? chính + 02 ?èn hu?nh quang + 01 ?èn ti?t trùng UV-30A + 01 chân ?? t? v?i 04 bánh xe + 02 ? c?m ?i?n bên trong t? ...

Poste de sécurité microbiologique (PSM) type II Airstream G3 AC2-4E8 - ESCO Le poste de sécurité le plus économe, le plus silencieux et le plus compact au monde Parois latérales en verre trempé Largeur : 1200 mm Lampe UV - 2 prises électriques Support avec roulettes pivotantes

Esco offers a variety of options and accessories to meet local applications. Contact Esco or your local Sales Representative for ordering information. ... AC2-3E9: 115 V 50/60 Hz: AC2-4E8: 1340 x 753 x 1400: 1340 x 810 x 1400: 1220 x 580 x 660: 0.45 m/s (90 fpm) 0.30 m/s (60 fpm) 230 V 50/60 Hz: ... China. Hong Kong. Taiwan. Europe. France ...

Esco Lifesciences" latest generation Class II Type A2 Biological Safety Cabinet with touchscreen controller.

The industry's most advanced, most comfortable, and energy-efficient compact biosafety cabinet. ... VHP
OUT PORT For Cabinet ...

Mã code: AC2-4E8 Th??ng hi?u: Esco Mô t? nhanh. T? an toàn sinh h?c c?p II AC2-4E8
Esco là t? an toàn sinh h?c kích th??c c? b?n 1.2m thu?c dòng Airstream c?a
hãng Esco, v?i 3 ch?c n?ng b?o v? s?n ph?m/ v?t m?u, ng??i s? d?ng và môi tr??ng, ??t
các tiêu chu?n: EN12469 ???c PHE (t? ch?c s?c kh?e c?ng ??ng ...

Web: <https://www.triceratech.co.za>